

## S202 SOFTLINE PARADISE AND BASIC

Application of the innovative technologies resulted in the production of fabrics with genuine leather functional features. Keeping its excellent strength parameters, this upholstery fabric is soft and has a very distinctive structure of surface pressing.

SOFTLINE PARADISE AND BASIC finds application in houses as upholstery for the main parts of the furniture (backrest, seat and armrest).






NO	PARAMETRES	UNIT	QUANTITY	METHOD / NORM
1.	Weight	$g/m^2$	$\geq 430$	PN-EN ISO 2286-2 ** Method A
2.	Thickness	$mm$	$\geq 0,9$	PN-EN ISO 2286-3 *
3.	Tensile strength - along - across	$\frac{daN}{5cm}$	$\geq 40$ $\geq 30$	PN-EN ISO 1421 * Method 1
4.	Tearing strength - along - across	$daN$	$\geq 2$ $\geq 2$	PN-EN ISO 3377-2 *
5.	Adhesion - along - across	$\frac{daN}{5cm}$	$\geq 2,5$ $\geq 2,5$	PN-EN ISO 2411 *
6.	Flex resistance (in temp. of 20°C)	<i>The number of bends (in thousands)</i>	$\geq 50$	PN-75/C-89058 * BALLY's Method
7.	Abrasion resistance (MARTINDALE Method)	<i>cycles</i>	$\geq 40\ 000$	PN-EN ISO 5470-2 *
8.	Friction resistance - on wet surface - on dry surface	<i>grey scale</i>	5 5	PN-EN ISO 105-X12 *
9.	Light resistance (confirmed by Textile Research Institute)	<i>blue scale</i>	min 5	PN-EN ISO 105-B02:2006 Method 2
10.	Ignitability - a match test (schedule 4) - a cigarette test (schedule 5) (confirmed by FIRA)	–	pass pass	BS 5852: 1979 Part 1
11.	<b>Composition</b>	Coating	PU PVC	14% 86%
		Backing	Cotton	100%
12.	<b>ATTESTS / CERTIFICETES</b>	Hygienic Attest FIRA Ignitability Test Light resistance		
13.	<b>Colour:</b> The colour scheme in accordance with the product catalogue. If a minimum amount is ordered, there is a possibility of working up a new colour according to RAL, Pantone catalogue, etc. A slight shade difference is acceptable in different production lots.			
14.	<b>The standard roll length:</b>		40 lm	
	<b>The standard width:</b>		140 cm	

\* without acclimatization

\*\* without acclimatization and drying

## S202 SOFTLINE PARADISE AND BASIC laundry guide

<b>Apply</b>			
Everyday dirt	Mild detergent, yellow soap solution preferably	Clean regularly with a sponge or a soft brush	Finally, clean the spot with a damp cloth and wipe dry (in order to remove the rest of the detergent)
Stains	25% solution of ethanol	Wipe gently with a soaked gauze swab	
Before application of another cleanser try a sample in an unexposed place and clean gently.			

<b>Washing advice</b>	
	Apply shampoo with a sponge, with fairly dry froth 20-40°C (do not wet the product)
	Do not wash!!! (delicate materials)
	Do not use chlorine bleach to clean up
	Do not iron!!! (do not expose to heated surfaces, e.g. a radiator)
	Do not dry-clean!!!

<b>Do not apply!!!</b>	
Wax polish	The application of the listed cleansers can stiffen the fabric and cause cracks, as well as change the colour and surface shine
Sprays	
Strong detergents	
Cleansers containing solvent	
Cleansers suitable for natural leather	
<b>Do not apply cleansers suitable for washing eco-leather</b>	
<b>During the direct contact between an item of clothing and SOFTLINE PARADISE AND BASIC fabric may cause the permanent dirt patches with time</b>	